

TABLE L106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, local government, 2009

| Part of body | Part of body code ³ | Local government ⁴ | Summary occupational groups | | | | | | | | | |
|--|--------------------------------|-------------------------------|---|--------------------------------------|---------------------|-------------------------------|---|--|---|---|------------------------|--|
| | | | Management, business, and financial occupations | Professional and related occupations | Service occupations | Sales and related occupations | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Total | | 184.8 | 39.9 | 74.8 | 436.1 | 105.2 | 67.8 | 309.8 | 390.8 | 313.8 | 340.7 | 517.7 |
| Head | 0 | 10.2 | 1.6 | 5.3 | 20.3 | — | 3.3 | — | 27.5 | 27.9 | 20.1 | 25.5 |
| Head, unspecified | 00 | 2.3 | .5 | 1.5 | 3.9 | — | 1.4 | — | 4.2 | 3.4 | 7.0 | 6.9 |
| Cranial region, including skull | 01 | 1.7 | .3 | 1.1 | 4.2 | — | .2 | — | 1.0 | 3.2 | 2.1 | 2.3 |
| Brain | 011 | 1.0 | .3 | .9 | 1.9 | — | .2 | — | .5 | 1.3 | 1.6 | 1.7 |
| Scalp | 012 | .6 | — | .1 | 2.1 | — | — | — | — | 1.6 | — | .5 |
| Skull | 013 | (5) | — | (5) | .1 | — | — | — | — | — | — | — |
| Cranial region, n.e.c. | 019 | (5) | — | — | — | — | — | — | — | — | — | — |
| Ear(s) | 02 | .6 | — | .1 | 2.3 | — | — | — | — | .9 | — | — |
| Face | 03 | 5.2 | .8 | 2.4 | 9.3 | — | 1.6 | — | 21.5 | 19.1 | 11.1 | 15.3 |
| Face, unspecified | 030 | .6 | — | .5 | .5 | — | — | — | 1.6 | — | — | 4.4 |
| Forehead | 031 | .5 | — | .3 | 1.0 | — | .3 | — | — | 1.5 | — | — |
| Eye(s) | 032 | 2.7 | .4 | 1.1 | 4.2 | — | .7 | — | 18.2 | 10.7 | 8.2 | 5.2 |
| Nose, nasal cavity | 033 | .4 | — | .2 | .5 | — | .1 | — | — | 5.9 | — | — |
| Nose, except internal location of diseases or disorders | 0330 | .4 | — | .2 | .5 | — | .1 | — | — | 5.9 | — | — |
| Cheek(s) | 034 | .2 | — | (5) | .6 | — | — | — | — | — | — | 1.1 |
| Jaw/chin | 035 | .2 | — | — | .4 | — | — | — | — | — | — | 3.7 |
| Mouth | 036 | .2 | — | .1 | .4 | — | — | — | — | — | 2.1 | — |
| Mouth, unspecified | 0360 | .1 | — | (5) | .2 | — | — | — | — | — | — | — |
| Lip(s) | 0361 | (5) | — | — | — | — | — | — | — | — | — | — |
| Tooth(teeth) | 0363 | (5) | — | (5) | — | — | — | — | — | — | — | — |
| Multiple mouth locations | 0368 | (5) | — | — | .1 | — | — | — | — | — | — | — |
| Multiple face locations | 038 | .4 | — | .2 | 1.2 | — | .1 | — | .7 | — | — | — |
| Face, n.e.c. | 039 | .1 | — | — | .4 | — | — | — | — | — | — | — |
| Multiple head locations | 08 | .3 | — | .2 | .6 | — | — | — | .7 | 1.4 | — | — |
| Head, n.e.c. | 09 | (5) | — | — | — | — | — | — | — | — | — | — |
| Neck, including throat | 1 | 2.9 | .3 | 1.3 | 7.5 | — | .9 | — | 4.9 | 6.1 | 2.9 | 5.9 |
| Neck, except internal location of diseases or disorders | 10 | 2.9 | .3 | 1.3 | 7.3 | — | .9 | — | 4.9 | 6.1 | 2.9 | 5.9 |
| Trunk | 2 | 56.4 | 9.7 | 19.0 | 136.5 | 10.4 | 16.1 | 142.9 | 141.1 | 118.3 | 136.8 | 177.8 |
| Trunk, unspecified | 20 | .4 | — | .1 | 1.1 | — | — | — | 1.7 | — | — | — |
| Shoulder, including clavicle, scapula | 21 | 13.5 | 1.6 | 5.2 | 31.1 | — | 4.4 | 31.2 | 41.4 | 19.1 | 26.2 | 44.0 |
| Chest, including ribs, internal organs | 22 | 4.1 | .6 | .8 | 11.6 | — | 1.5 | — | 6.9 | 8.6 | 2.8 | 14.4 |
| Chest, except internal location of diseases or disorders | 220 | 3.0 | .3 | .6 | 9.4 | — | 1.3 | — | 6.8 | 3.8 | 2.8 | 4.8 |
| Internal chest location, unspecified | 221 | .1 | — | — | .3 | — | — | — | — | — | — | — |
| Heart | 223 | .2 | — | (5) | .8 | — | — | — | — | — | — | — |
| Lung(s), pleura | 225 | .8 | — | .2 | 1.1 | — | .2 | — | — | 4.6 | — | 9.3 |

See footnotes at end of table.

TABLE L106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, local government, 2009 — Continued

| Part of body | Part of body code ³ | Local government ⁴ | Summary occupational groups | | | | | | | | | |
|--|--------------------------------|-------------------------------|---|--------------------------------------|---------------------|-------------------------------|---|--|---|---|------------------------|--|
| | | | Management, business, and financial occupations | Professional and related occupations | Service occupations | Sales and related occupations | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Back, including spine, spinal cord .. | 23 | 32.3 | 5.0 | 11.0 | 78.2 | — | 8.6 | 108.1 | 77.5 | 75.7 | 63.0 | 105.3 |
| Back, including spine, spinal cord, unspecified | 230 | 13.0 | 2.0 | 4.4 | 31.4 | — | 3.0 | — | 27.1 | 37.4 | 32.6 | 41.6 |
| Lumbar region | 231 | 16.2 | 2.8 | 5.7 | 39.0 | — | 4.6 | 108.1 | 41.5 | 35.0 | 26.3 | 50.2 |
| Thoracic region | 232 | 1.3 | — | .3 | 3.4 | — | .2 | — | 5.6 | 2.0 | 3.5 | 3.9 |
| Sacral region | 233 | (⁵) | — | — | .1 | — | — | — | — | — | — | — |
| Coccygeal region | 234 | .2 | — | .2 | .4 | — | — | — | — | — | — | .8 |
| Multiple back regions | 238 | 1.4 | — | .3 | 3.7 | — | .5 | — | 2.8 | 1.1 | — | 7.5 |
| Back, including spine, spinal cord, n.e.c. | 239 | .2 | — | .1 | .3 | — | — | — | — | — | — | 1.3 |
| Abdomen | 24 | 2.4 | 1.1 | .7 | 5.2 | — | — | — | 4.5 | 8.6 | 33.3 | 3.6 |
| Abdomen, except internal location of diseases or disorders | 240 | .9 | — | .5 | 2.1 | — | — | — | 2.4 | .9 | — | 1.9 |
| Internal abdominal location, unspecified | 241 | .9 | — | — | 1.5 | — | — | — | .5 | 5.6 | 32.3 | .9 |
| Stomach organ | 242 | (⁵) | — | — | .1 | — | — | — | — | — | — | — |
| Urinary organs | 244 | (⁵) | — | — | .1 | — | — | — | — | — | — | — |
| Bladder | 2441 | (⁵) | — | — | — | — | — | — | — | — | — | — |
| Intestines, peritoneum | 245 | .5 | — | .2 | 1.4 | — | — | — | 1.5 | 2.1 | — | .6 |
| Intestines, peritoneum, unspecified | 2450 | .5 | — | .2 | 1.3 | — | — | — | 1.1 | 2.0 | — | .6 |
| Intestines, n.e.c. | 2459 | (⁵) | — | — | — | — | — | — | — | — | — | — |
| Pelvic region | 25 | 2.5 | 1.2 | .7 | 6.2 | — | .9 | — | 5.6 | 4.2 | 7.8 | 7.4 |
| Hip(s) | 251 | 1.3 | 1.0 | .4 | 3.4 | — | .6 | — | 1.4 | 2.6 | — | 4.3 |
| Pelvis | 252 | .1 | — | .1 | — | — | — | — | — | — | — | — |
| Buttock(s) | 253 | .2 | — | .1 | .3 | — | — | — | — | 1.0 | — | .9 |
| Groin | 254 | .9 | — | .2 | 2.3 | — | — | — | 3.7 | .6 | 6.1 | 1.9 |
| External reproductive tract structures | 255 | (⁵) | — | — | — | — | — | — | — | — | — | — |
| Multiple trunk locations | 28 | 1.1 | — | .4 | 2.9 | — | .5 | — | 3.3 | 1.5 | 2.2 | 2.3 |
| Trunk, n.e.c. | 29 | .1 | — | — | .1 | — | — | — | — | — | — | — |
| Upper extremities | 3 | 31.2 | 4.5 | 10.4 | 83.3 | 10.4 | 10.1 | 52.0 | 61.0 | 61.1 | 46.2 | 73.4 |
| Upper extremities, unspecified | 30 | .2 | — | .1 | — | — | — | — | — | — | — | 4.3 |
| Arm(s) | 31 | 7.8 | .9 | 2.5 | 20.3 | — | 3.2 | — | 21.7 | 12.3 | 12.8 | 18.4 |
| Arm(s), unspecified | 310 | 2.4 | .4 | .7 | 6.2 | — | 1.5 | — | 7.3 | 3.4 | 1.7 | 6.0 |
| Upper arm(s) | 311 | .7 | — | .2 | 1.6 | — | — | — | 3.9 | 1.9 | — | 1.8 |
| Elbow(s) | 312 | 3.4 | .4 | 1.3 | 8.6 | — | 1.2 | — | 8.0 | 5.2 | 6.1 | 7.6 |
| Forearm(s) | 313 | .9 | — | .2 | 2.7 | — | .2 | — | 2.3 | 1.5 | — | 2.3 |
| Multiple arm(s) locations | 318 | .4 | — | .1 | 1.0 | — | .1 | — | — | — | 3.7 | .6 |
| Arm(s), n.e.c. | 319 | (⁵) | — | — | .1 | — | — | — | — | — | — | — |
| Wrist(s) | 32 | 7.0 | 1.8 | 4.0 | 16.1 | — | 2.9 | — | 9.9 | 11.7 | 7.1 | 9.9 |
| Hand(s), except finger(s) | 33 | 5.8 | .8 | 1.0 | 18.2 | — | 1.2 | — | 8.8 | 16.2 | 14.5 | 9.7 |
| Finger(s), fingernail(s) | 34 | 7.8 | .2 | 2.1 | 22.4 | — | 2.2 | 26.9 | 16.5 | 18.1 | 10.5 | 15.2 |

See footnotes at end of table.

TABLE L106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, local government, 2009 — Continued

| Part of body | Part of body code ³ | Local government ⁴ | Summary occupational groups | | | | | | | | | |
|---|--------------------------------|-------------------------------|---|--------------------------------------|---------------------|-------------------------------|---|--|---|---|------------------------|--|
| | | | Management, business, and financial occupations | Professional and related occupations | Service occupations | Sales and related occupations | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Multiple upper extremities locations | 38 | 2.6 | 0.7 | 0.7 | 6.2 | — | 0.6 | — | 3.8 | 2.0 | — | 15.9 |
| Multiple upper extremities locations, unspecified | 380 | (⁵) | — | — | — | — | — | — | — | — | — | .6 |
| Hand(s) and finger(s) | 381 | .8 | .4 | .3 | 2.5 | — | — | — | 1.1 | — | — | .6 |
| Hand(s) and wrist(s) | 382 | .5 | — | .2 | 1.5 | — | .3 | — | .6 | .9 | — | 1.0 |
| Hand(s) and arm(s) | 383 | .2 | — | .1 | .6 | — | — | — | .8 | — | — | — |
| Multiple upper extremities locations, n.e.c. | 389 | 1.0 | .2 | .2 | 1.6 | — | .2 | — | 1.2 | .6 | — | 13.4 |
| Upper extremities, n.e.c. | 39 | (⁵) | — | — | .1 | — | — | — | — | — | — | — |
| Lower extremities | 4 | 47.7 | 13.2 | 23.2 | 106.3 | 50.2 | 19.3 | 40.0 | 85.9 | 65.3 | 68.7 | 142.6 |
| Lower extremities, unspecified | 40 | .1 | — | — | .2 | — | — | — | — | — | — | — |
| Leg(s) | 41 | 27.1 | 7.7 | 12.6 | 58.6 | 38.5 | 9.1 | — | 52.5 | 44.5 | 45.2 | 94.5 |
| Leg(s), unspecified | 410 | 2.0 | 2.2 | 1.0 | 3.2 | — | .6 | — | 6.9 | 1.2 | 5.5 | 8.6 |
| Thigh(s) | 411 | .7 | 1.3 | .2 | 1.2 | — | — | — | .9 | .9 | — | 5.9 |
| Knee(s) | 412 | 21.1 | 3.4 | 9.5 | 48.1 | 36.1 | 7.9 | — | 40.8 | 38.3 | 37.9 | 61.9 |
| Lower leg(s) | 413 | 2.1 | .8 | .7 | 4.2 | — | .4 | — | 3.5 | 3.2 | — | 16.5 |
| Multiple leg(s) locations | 418 | 1.1 | — | 1.2 | 1.8 | — | .1 | — | — | 1.0 | — | 1.6 |
| Leg(s), n.e.c. | 419 | (⁵) | — | (⁵) | — | — | — | — | — | — | — | — |
| Ankle(s) | 42 | 11.7 | 3.0 | 5.6 | 28.6 | 8.6 | 4.9 | — | 17.4 | 7.4 | 18.9 | 30.6 |
| Foot(feet), except toe(s) | 43 | 5.0 | 1.2 | 3.4 | 9.2 | — | 2.4 | — | 10.8 | 8.6 | 1.9 | 10.8 |
| Foot(feet), except toe(s), unspecified | 430 | 4.4 | 1.1 | 3.2 | 7.7 | — | 2.1 | — | 10.2 | 5.9 | 1.5 | 9.8 |
| Instep(s) | 431 | (⁵) | — | — | — | — | — | — | — | — | — | — |
| Sole | 432 | .4 | — | .3 | .8 | — | .2 | — | .5 | 1.5 | — | .5 |
| Heel(s) | 4323 | .4 | — | .3 | .8 | — | .2 | — | — | 1.4 | — | — |
| Multiple foot(feet) locations | 438 | (⁵) | — | — | — | — | — | — | — | — | — | — |
| Foot(feet), n.e.c. | 439 | .1 | — | — | .6 | — | — | — | — | — | — | — |
| Toe(s), toenail(s) | 44 | 1.3 | .4 | .4 | 2.8 | — | 1.9 | — | 1.8 | 2.4 | — | 2.0 |
| Multiple lower extremities locations | 48 | 2.5 | .9 | 1.1 | 6.7 | — | 1.0 | — | 2.5 | 2.2 | — | 4.7 |
| Multiple lower extremities locations, unspecified | 480 | (⁵) | — | (⁵) | .1 | — | — | — | — | — | — | — |
| Foot(feet) and leg(s) | 481 | .1 | — | .1 | .3 | — | — | — | — | — | — | — |
| Foot(feet) and ankle(s) | 482 | .7 | — | .4 | 1.5 | — | .3 | — | .8 | 1.2 | — | 1.8 |
| Foot(feet) and toe(s) | 483 | .1 | .5 | — | .2 | — | — | — | .9 | — | — | — |
| Multiple lower extremities locations, n.e.c. | 489 | 1.5 | .4 | .6 | 4.6 | — | .6 | — | .7 | .8 | — | 2.6 |
| Lower extremities, n.e.c. | 49 | .1 | — | (⁵) | .2 | — | — | — | — | — | — | — |
| Body systems | 5 | 3.9 | .9 | 1.4 | 8.4 | — | 3.1 | — | 5.1 | 7.6 | 7.2 | 13.4 |

See footnotes at end of table.

TABLE L106. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and summary occupational groups, local government, 2009 — Continued

| Part of body | Part of body code ³ | Local government ⁴ | Summary occupational groups | | | | | | | | | |
|---------------------------|--------------------------------|-------------------------------|---|--------------------------------------|---------------------|-------------------------------|---|--|---|---|------------------------|--|
| | | | Management, business, and financial occupations | Professional and related occupations | Service occupations | Sales and related occupations | Office and administrative support occupations | Farming, fishing, and forestry occupations | Construction and extraction occupations | Installation, maintenance, and repair occupations | Production occupations | Transportation and material moving occupations |
| Multiple body parts | 8 | 30.5 | 9.5 | 13.8 | 70.8 | 19.6 | 15.0 | 33.0 | 62.8 | 27.3 | 57.7 | 77.2 |
| Nonclassifiable | 9999 | 2.1 | — | .4 | 2.9 | — | .1 | — | 2.6 | — | — | 1.9 |

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers
 (working 40 hours per week, 50 weeks per year)

also included job transfer or restriction.

³ Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data too small to be displayed.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies